

Iluminación



J. VILA
LAMPARAS, S.L.

EL SÍMBOLO DE CALIDAD STRASS®

THE STRASS® SYMBOL OF QUALITY

Cada una de las piezas de cristal tallado STRASS® (de más de 12 mm de diámetro) llevan un certificado especial que garantiza la calidad del "Original". Un símbolo de calidad grabado con láser en el cristal.



Las piezas de cristal STRASS® de las lámparas se distinguen de cualquier otro producto de cristal por su brillo y luminosidad. Sólo el auténtico cristal STRASS® llevan el certificado STRASS® en cada cristal como un símbolo de la calidad superior.



Each one of the STRASS® shaped glass pieces (of more than 12 mm in diameter) carries a special certificate which guarantees the quality of the "ORIGINAL". The symbol of quality is a laser impression on the crystal.



STRASS® crystal pieces on lamps stand out from any other product for their shine and brightness. Only authentic STRASS® crystal carried the STRASS® certificate on each piece of crystal as a symbol of superior quality.

MUESTRAS DE ACABADOS

FINISHINGS



CUERO DIFUMINADO / ANTI SHADOWED



BAÑO ORO / GOLD PLATED



ORO FRANCES / GOLD FRENCH



B. ORO-P. MARRON / GOLD PLATED-BROWN P.



NIQUEL MATE-P. MARRON / NICKEL SATINED-BROWN P.



CROMO / CHROME



CROMO-ORO / CHROME-GOLD

Índice

<u>MODELO</u>	<u>Página</u>
Lámparas y plafones	
4610.....	17
4611.....	18
4612.....	20
4613.....	20
4614.....	4
4615.....	2
4616.....	3
4618.....	1
4619.....	1
4622.....	28
4623.....	29
4624.....	30
4625.....	30
4626.....	31
4627.....	34
4628.....	36
4629.....	32
4630.....	4
4631.....	5
4632.....	33
4633.....	37
4634.....	21
4636.....	23
4637.....	22
4638.....	25
4639.....	24
4640.....	26
4641.....	27
4642.....	14
4643.....	15
4644.....	12
4645.....	13
4646.....	16
4649.....	10
4650.....	11
4652.....	6
4653.....	7
4654.....	8
4655.....	9
4656.....	38
4657.....	39
4658.....	40
4659.....	41
4660.....	46
Sobremesas	
5182.....	13
5240.....	19
5241.....	3
5242.....	2
5243.....	4

<u>MODELO</u>	<u>Página</u>
5243.....	4
5244.....	20
5245.....	26
5246.....	27
5247.....	8-9
5248.....	6-7
5249.....	11-14-15
5250.....	10
5252.....	12
5256.....	16
5257.....	27
5258.....	5
Apliques	
6236.....	19
6237.....	19
6238.....	1
6240.....	29
6241.....	29
6242.....	35
6243.....	35
6244.....	35
6245.....	34
6246.....	35
6248.....	25
6249.....	24
6251.....	41
6252.....	41
6253.....	14
6254.....	15
6255.....	12
6256.....	13
6257.....	16
6258.....	10
6259.....	11
6260.....	6
6261.....	7
6262.....	8
6263.....	9
6264.....	5
6265.....	45
6266.....	4
6267.....	2
6268.....	3
6269.....	45
Neoclásicas Serie 9000	
9306-9307.....	42-43
9308-9309.....	43
9310-9311.....	44
9312-9313.....	45
9314-9315.....	45



MODELO
4619

MEDIDAS

Ø cm.	↓cm.	●
60	75	8
70	85	10
80	95	12
105	130	16



Aplique/Wall Bracket

MODELO
6238

MEDIDAS

Ø cm.	↓cm.	●
32	40	2

MODELO
4618


MEDIDAS

Ø cm.	↓cm.	●
50	50	6
60	60	8
70	70	10



MODELO
4615

MEDIDAS		
Ø cm.	↑cm.	●
60	50	6
70	55	8



MODELO
5242

MEDIDAS		
Ø cm.	↑cm.	●
30	48	1



MODELO
6267

MEDIDAS		
Ø cm.	↑cm.	●
13	40	1
37	40	2



MODELO

4616

MEDIDAS

Ø cm.	↕ cm.	●
60	45	6
70	50	8



MODELO

6268

MEDIDAS

Ø cm.	↕ cm.	●
13	38	1
38	38	2



MODELO

5241

MEDIDAS

Ø cm.	↕ cm.	●
25	58	1

MODELO

4630

MEDIDAS

∅ cm.	↓ cm.	●
65	30	8

**MODELO**

6266

MEDIDAS

∅ cm.	↓ cm.	●
15	36	1

**MODELO**

5243

MEDIDAS

∅ cm.	↓ cm.	●
25	58	1

**MODELO**

4614

MEDIDAS

∅ cm.	↓ cm.	●
60	40	6
70	45	8





MODELO	MEDIDAS		
4631	Ø cm.	↑cm.	●
	60	43	6
	70	45	8



MODELO	MEDIDAS		
5258	Ø cm.	↑cm.	●
	30	48	1



MODELO	MEDIDAS		
6264	Ø cm.	↑cm.	●
	35	27	2

MODELO

4652

MEDIDAS

Ø cm.	↑cm.	●
60	45	6
70	50	8

**MODELO**

5248

MEDIDAS

Ø cm.	↑cm.	●
25	55	1

**MODELO**

6260

MEDIDAS

Ø cm.	↑cm.	●
13	30	1
40	30	2



MODELO

4653

MEDIDAS

Ø cm.	↓cm.	●
60	45	6
70	50	8



MODELO

6261

MEDIDAS

Ø cm.	↓cm.	●
13	30	1
40	30	2



MODELO

5248

MEDIDAS

Ø cm.	↓cm.	●
25	55	1



MODELO
4654

MEDIDAS		
Ø cm.	↑cm.	●
60	45	6
70	50	8



MODELO	MEDIDAS		
5247	Ø cm.	↑cm.	●
	25	55	1



MODELO	MEDIDAS		
6262	Ø cm.	↑cm.	●
	13	30	1
	40	30	2



MODELO

4655

MEDIDAS

Ø cm.	↓cm.	●
60	45	6
70	50	8



MODELO

6263

MEDIDAS

Ø cm.	↓cm.	●
13	30	1
40	30	2



MODELO

5247

MEDIDAS

Ø cm.	↓cm.	●
25	55	1



MODELO
4649

MEDIDAS		
Ø cm.	↓ cm.	●
63	48	6
73	50	8



MODELO
5250

MEDIDAS		
Ø cm.	↓ cm.	●
30	50	1



MODELO
6258

MEDIDAS		
Ø cm.	↓ cm.	●
13	30	1
40	30	2



MODELO

4650

MEDIDAS

Ø cm.	↓cm.	●
63	48	6
73	50	8



MODELO

6259

MEDIDAS

Ø cm.	↓cm.	●
13	30	1
40	30	2



MODELO

5249

MEDIDAS

Ø cm.	↓cm.	●
30	50	1



MODELO
4644

MEDIDAS		
Ø cm.	↓ cm.	●
63	45	6
70	47	8
80	50	10



MODELO
5252

MEDIDAS		
Ø cm.	↓ cm.	●
35	50	1



MODELO
6255

MEDIDAS		
Ø cm.	↓ cm.	●
13	30	1
40	30	2



MODELO

4645

MEDIDAS

Ø cm.	↓ cm.	●
63	45	6
70	47	8
80	50	10



MODELO

6256

MEDIDAS

Ø cm.	↓ cm.	●
13	30	1
40	30	2



MODELO

5182

MEDIDAS

Ø cm.	↓ cm.	●
30	50	1



MODELO

4642

MEDIDAS

Ø cm.	↑cm.	●
65	50	6
75	57	8

**MODELO**

5249

MEDIDAS

Ø cm.	↑cm.	●
30	50	1

**MODELO**

6253

MEDIDAS

Ø cm.	↑cm.	●
13	36	1
40	36	2



MODELO
4643

MEDIDAS		
Ø cm.	↓cm.	●
65	50	6
75	57	8



MODELO	MEDIDAS		
6254	Ø cm.	↓cm.	●
	13	46	1
	40	46	2



MODELO	MEDIDAS		
5249	Ø cm.	↓cm.	●
	30	50	1

MODELO

4646

MEDIDAS

Ø cm.	↑cm.	●
63	45	6
70	47	8
80	50	10

**MODELO**

5256

MEDIDAS

Ø cm.	↑cm.	●
35	50	1

**MODELO**

6257

MEDIDAS

Ø cm.	↑cm.	●
13	30	1
40	30	2



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	⦿
4610	100	135	12+6+3
	125	150	16+8+4
	150	170	20+10+5



MODELO	MEDIDAS		
	Ø cm.	± cm.	●
4611	85	100	10+5
	100	110	12+6
	125	120	16+8
	150	130	20+10



MODELO
6237

MEDIDAS


Ø cm.	↕ cm.	●
52	52	3+2



MODELO
5240

MEDIDAS

Ø cm.	↕ cm.	●
50	75	5+1



MODELO
6236

MEDIDAS

Ø cm.	↕ cm.	●
11	45	1
40	45	2



MODELO
4612

MEDIDAS

Ø cm.	↓ cm.	●
70	75	8
85	85	10
100	90	12
125	100	16



MODELO
5244

MEDIDAS

Ø cm.	↓ cm.	●
30	48	1



MODELO
4613

MEDIDAS

Ø cm.	↓ cm.	●
60	55	6
70	60	8

**MODELO**

4634

MEDIDAS

Ø cm.	↕ cm.	💡
165	175	24+12+7



MODELO

4637

MEDIDAS

Ø cm.	↓ cm.	●
85	115	10+5
105	125	12+6



MODELO	MEDIDAS		
	∅ cm.	↓ cm.	●
4636	85	115	10+5
	105	125	12+6



MODELO

4639

MEDIDAS

Ø cm.	↓ cm.	●
85	95	10
105	110	12



MODELO

6249

MEDIDAS

Ø cm.	↓ cm.	●
11	45	1
40	45	2



MODELO
4638

MEDIDAS

Ø cm.	↓ cm.	●
85	95	10
105	110	12



MODELO
6248

MEDIDAS

Ø cm.	↓ cm.	●
50	50	3+2



MODELO

4640

MEDIDAS

Ø cm.	↓ cm.	●
60	55	6
70	60	8



MODELO

5245

MEDIDAS

Ø cm.	↓ cm.	●
30	50	1

MODELO

4641

MEDIDAS


Ø cm.	↑ cm.	●
60	55	6
70	60	8

**MODELO**

5246

MEDIDAS

Ø cm.	↑ cm.	●
30	50	1

**MODELO**

5257

MEDIDAS

Ø cm.	↑ cm.	●
50	75	5+1



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	●
4622	65	65	6+6
	77	80	8+8
	88	110	10+10
	100	120	14+12
	123	140	18+16
	146	160	24+20



MODELO

4623

MEDIDAS

Ø cm.	↓cm.	●
55	60	9
66	70	12
78	100	18
100	115	22
124	135	28

**MODELO**

6240

MEDIDAS

Ø cm.	↓cm.	●
30	20	2

Applique/Wall Bracket



Applique/Wall Bracket

MODELO

6241

MEDIDAS

Ø cm.	↓cm.	●
40	55	4



MODELO
4625

MEDIDAS

Ø cm.	↑cm.	●
43	45	4
55	50	6



MODELO
4624

MEDIDAS

Ø cm.	↑cm.	●
43	25	4
55	30	6
66	35	8
78	40	10
100	45	14
124	50	16



MODELO	MEDIDAS		
	Ø cm.	↕ cm.	●
4626	90	97	12+8
	102	108	15+10
	115	120	20+12
	132	135	26+14



MODELO	MEDIDAS		
	Ø cm.	↑ cm.	●
4629	80	97	12+8
	90	108	15+10
	104	120	20+12
	120	135	26+14



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	●
4632	80	90	8+10
	100	110	10+14
	130	140	14+17
	180	210	20+38



MODELO

4627

MEDIDAS

Ø cm.	↓cm.	●
57	48	8
72	45	12
85	50	15
100	53	17
145	70	25



Aplique/Wall Bracket

MODELO

6245

MEDIDAS

Ø cm.	↓cm.	●
30	30	2



MODELO	MEDIDAS		
6244	Ø cm.	↓ cm.	●
	50	66	4+2

Aplique/Wall Bracket



MODELO	MEDIDAS		
6243	Ø cm.	↓ cm.	●
	30	60	4

Aplique/Wall Bracket



MODELO	MEDIDAS		
6242	Ø cm.	↓ cm.	●
	40	66	4+2

Aplique/Wall Bracket



MODELO	MEDIDAS		
6246	Ø cm.	↓ cm.	●
	50	68	4+2

Aplique/Wall Bracket



MODELO	MEDIDAS		
	Ø cm.	↓cm.	●
4628	57	90	12
	72	100	16
	85	110	20
	100	125	26

**MODELO**

4633

MEDIDAS

∅ cm.	↕ cm.	💡
200	250	24+12+59



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	●
4656	130	160	30
	165	190	41



MODELO	MEDIDAS		
4657	Ø cm.	↓ cm.	●
	130	60	22
	165	75	29



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	●
4658	85	90	22
	100	110	32



MODELO	MEDIDAS		
4659	Ø cm.	↓cm.	●
	85	45	16
	100	50	24




MODELO	MEDIDAS		
6251	Ø cm.	↓cm.	●
	50	56	3

Aplique/Wall Bracket



MODELO	MEDIDAS		
6252	Ø cm.	↓cm.	●
	40	26	2

Aplique/Wall Bracket



MODELO

9306 AC.T
9307 A

MEDIDAS

Ø cm.	↑ cm.	●
80	35	14
110	40	20



MODELO	MEDIDAS		
	Ø cm.	↓ cm.	●
9306 AC. T	80	35	14
9307 A	110	40	20



MODELO
9308 AC. T
9309 A

MEDIDAS		
Ø cm.	↓ cm.	●
37	22	4
42	25	4
47	25	5
52	27	6
62	30	8



MODELO	MEDIDAS		
	Ø cm.	↓cm.	●
9310 AC. T	66	60	5+4
9311 A	76	65	6+6
	90	75	8+8




MODELO

9314 AC. T
9315 A

MEDIDAS

Ø cm.	↓cm.	●
37	43	4
42	45	5
47	50	6
52	53	7
62	60	8



MODELO

6265 AC. T
6269 A

MEDIDAS

Ø cm.	↓cm.	●
15	25	1
40	25	2



MODELO

9312 AC. T
9313 A

MEDIDAS

Ø cm.	↓cm.	●
37	22	4
42	25	4
47	25	5
52	27	6
62	30	8



MODELO	MEDIDAS		
4660	Ø cm.	↓ cm.	⦿
	45	80	6
	50	85	9
	55	90	12

Notas de interes general

Símbolos utilizados

∅ Diámetro o ancho, medidas en centímetros.

↑↓ Altura del aparato sin florón ni cadena, en centímetros.

● Número de bombillas.

· Todos los aparatos se sirven sin bombillas, recomendamos que lo mismo las de E27 que las de vela E14 sean claras transparentes de 40 o 60 W.

Algunas especificaciones sobre los materiales y otros asuntos relacionados en la fabricación de nuestros aparatos.

- Las principales materias primas son de bronce y metal compuesto del 65% de cobre y 35% de zinc.
- Todos los aparatos son fabricados a mano de forma artesanal por personal altamente cualificado.
- Los acabados son pulidos a mano y bañados electrolíticamente en oro de 24 quilates, a continuación se aplican las patinas y se le da una película de laca que se seca a 190° C.
- Nosotros cuidamos hasta el más mínimo detalle de hecho que el resultado final es tener el convencimiento de haber realizado el trabajo con plena satisfacción.
- Las representaciones de cada serie de este catálogo han sido ensayadas según las normas de la serie EN60598 por el prestigioso **laboratorio Sering-2000**. También disponemos del SASO para las exportaciones a Arabia Saudi.
- Las partes eléctricas son las homologadas según el país de destino.
- El fabricante se reserva el derecho a introducir cambios o mejoras en los artículos exhibidos en este catálogo.
- Las medidas indicadas son aproximadas.
- Para cualquier información complementaria contacte con nosotros.

Notes of general interest

Symbols used

∅ Diameter or width, measures in centimetres.

↑↓ Height of the unit without canopy or chain, in centimetres.

● Number of bulbs.

· Units do not include bulds. We recommend that both the E27 and the E14 candle types be 40 or 60 W and transparent.

Some specifications about materials and other matters relating to the manufacture of our units.

- The main raw materials used are bronze and metal compound containing 65% copper and 35% zinc.
- All units are hand crafted by highly qualified personnel.
- The finishes are hand buffed and given an electrolytically bath in 24 carat gold. The patinas are then applied, given a lacquer coating, and dried at 190° C.
- We take care of every last detail to be fully confident that the workmanship is completely satisfactory.
- The various models of each line in this catalogue have been tested in accordance with regulation EN60598 by the prestigious **Laboratory Sering-2000**. We also possess the SASO for export to Saudi Arabia.
- The electrical components meet the standards required by each country exported to.
- The manufacturer reserves the right to introduce changes and improvements to products displayed in this catalogue.
- Measures shown are approximate.
- For any further information, please contact us.



J. VILA
LAMPARAS, S.L.

C/ Sant Francesc, 55-61 · Telefono +34 - 96 120 37 19 · Fax +34 - 96 120 32 51
Poligono Industrial San Francisco - 46469 BENIPARRELL (VALENCIA) Spain
E-mail: jvilalamp@jvilalamp.com / vilalamp@jvilalamp.com
Web: www.jvilalamp.com